

COMMERCIAL ITEM DESCRIPTION

FUSEHOLDER, EXTRACTOR POST, FRONT OR REAR MOUNT, FINGER GRIP KNOB
FUSE CARRIER FOR 3AG (.25 INCH (IN) X 1.25 IN (6.35 MILLIMETERS (MM) X 31.75 MM))
OR .196 IN X .787 IN (5 MM X 20 MM) FUSE CARTRIDGES

The General Services Administration has authorized the use of this commercial item description (CID) for all federal agencies.

The complete requirements for procuring the fuseholders described herein shall consist of this document and the issue in effect of CID A-A-55504.

CLASSIFICATION. This CID uses a classification system which is included in the Part Identification Number (PIN) as shown in the following example (see notes).


AA55504/03-	Accommodates fuse	Rear terminal configuration
001A	3AG	A
001B	3AG	B
001C	3AG	C
001D	3AG	D
002A	5 mm x 20 mm	A
002B	5 mm x 20 mm	B
002C	5 mm x 20 mm	C
002D	5 mm x 20 mm	D

SALIENT CHARACTERISTICS.


Interface and physical dimensions. Fuseholders supplied to this CID shall be as specified herein (see figure 1).

Rear terminal configuration. The rear terminal configuration shall be as specified in A-A-55504.

Mounting hole. The mounting hole shall be as specified in figure 1.



Suggested mounting holes



Inches	mm	Inches	mm
.311	7.90	.509	12.95
.409	10.40	.618	15.70
.457	11.60	.681	17.30
.465	11.81	.693	17.60
.469	11.90	.913	23.20
.480	12.19	1.492	37.90
.500	12.70		

NOTES:

1. Dimensions are in inches.
2. Tolerance is ± 0.005 inch (0.13 mm), unless otherwise specified.

FIGURE 1. Configuration and dimensions.

NOTES.

PIN. The PIN should be used for Government purposes to buy commercial products to this CID. See classification information for PIN format example.

Commercial products. As part of the market analysis and research effort, this CID was coordinated with the following manufacturers of commercial products. At the time of CID preparation and coordination, these manufacturers were known to have commercial products that would meet the requirements of this CID. (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict procurement to only the manufacturers shown.)

<u>MFR's CAGE</u>	<u>MFR's name and address</u>
71400	Cooper Bussmann, Incorporated P. O. Box 14460 St. Louis, MO 63178-4460 Phone number (636) 394-2877 Facsimile number (800) 544-2570 E-mail: fusebox@buss.com Uniform Resource Locator (URL): www.bussmann.com
75915	Littelfuse Incorporated 800 E. Northwest Highway Des Plaines, IL 60016-3096 Phone number (847) 824-1188 Facsimile number (847) 391-0894 E-mail: electronics@littelfuse.com URL: www.littelfuse.com

Part number (P/N) supersession data. These CID part numbers supersede the following MFR's P/N's as shown. This information is being provided to assist in reducing proliferation in the government inventory system.

TABLE II. P/N supersession data.

CID dash number AA55504/03- (see table I)	MFR's CAGE 71400	MFR's CAGE 75915
	MFR's P/N <u>1/</u>	MFR's P/N <u>1/</u>
001A	HTB-62I	3453RF2
001B	HTB-64I	3453RF1
001C	HTB-66I	3453RF8
001D	HTB-68I	3453RF7
002A	HTB-62M	3455RF2
002B	HTB-64M	3455RF1
002C	HTB-66M	3455RF8
002D	HTB-68M	3455RF7

1/ The manufacturer's P/N shall not be used for procurement to the requirements of this CID. At the time of preparation of this CID, the aforementioned commercial products were reviewed and could be replaced by the CID P/N shown.

A-A-55504/3A

National stock number (NSN). The following is a list of NSN's assigned which correspond to this CID. The list is for information only and may not be indicative of all possible NSN's associated with the CID. For up to date information on assigned NSN's, please contact the Defense Supply Center, Columbus, ATTN: DSCC-CSBB, Post Office Box 3990, Columbus, OH 43216-5000, or telephone (614) 692-7625.

TABLE II. NSN's.

Dash number (see table I) AA55504/03-	NSN
001A	5920-01-341-0724
001B	5920-00-393-2078
001C	N/A
001D	N/A
002A	N/A
002B	N/A
002C	N/A
002D	N/A

MILITARY INTERESTS:

Custodians:
Navy - EC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - 7FXE

Preparing Activity:

DLA-CC

Project 5920-0703